



The Nfina 7212R-i20 NAS, a scalable, hybrid storage solution for backup, disaster recovery, or High-Availability clusters.

Features:

- 2U rack-mount dual-socket server
- Choice of Intel® Xeon® Scalable Processors
 - Platinum, Gold, Silver and Bronze Available
 - 1.7GHz to 3.7GHz processor speeds available
 - Up to 22 cores per processor
- Intel® Advanced Vector Extensions (AVX-512)
 - Accelerates deduplication, encryption, compression, & decompression
 - Double the flops per clock cycle of AVX2
- Intel® Ultra Path Interconnect (UPI)
 - Provides increased scalability of the platform
 - Improves communication and throughput between multiple processors
- 2 x 10GbE (100/1000/10000) LAN ports
- Integrated iWARP RDMA Ethernet
- 24 DIMM slots, DDR4-2133/2400/2666MHz
 - Up to 1.54TB total memory
- Supports Intel® Optane™ Memory
- 12 x 3.5" hot-swap drive bays
 - Supports SAS, SATA, SSD, & NVMe
- Intel® VMD enables hot-swapping NVMe SSDs
- 2 x 2.5" hot swap rear drive bays optional
- 2 x 2.5" internal SSD drive support
- 2 x M.2 SSD connectors, PCIe or SATA (22X80)
- Up to 144TB Storage
- 12Gb/s SAS capable
- Redundant hot-swap power supplies
- LSI® hardware RAID & caching optional
- Intel® VROC for optional NVMe RAID
- Remote Management included

The Nfina 7212R-i20 NAS with Intel Scalable System Framework (SSF) is truly a breakthrough storage and compute platform. Ideal for backup, disaster recovery or creating/adding storage pools in a HA cluster this NAS can be loaded up with SAS, SATA, SSD, NVMe, and/or M.2 drives for a high-performance, scalable hybrid storage solution.

Delivering 4.2x greater virtual machine performance, and 65 percent lower cost of ownership compared to four year old devices, greatly reducing strain on both your users and your budget. If even greater performance is required, Intel Optane Technology and Intel 3D NAND SSDs can be installed providing lower latency, higher throughput, QoS, and endurance.

In IT environments consisting of hyperconverged systems, virtualized systems, advanced analytics, or artificial intelligence, the 7212R-i20 NAS delivers on performance and efficiency.

Nfina products deliver exceptional functionality by creating products that are easily customized to fit specific applications. Designed and built for virtualized computing environments, our products provide high-density, maximum yield solutions for our customers. Multiple options for high performance computing, including I/O, RAID, storage, and memory options make our products a custom fit for many applications.

All Nfina Technologies' servers are backed by a five-year limited warranty and include 24x7 tech support with remote diagnostics. Next day and four hour on-site response options are available.

Specifications

Form Factor	2U Rack-Mount, 3.44" x 16.93" x 27.95"
Operating Temperature	10°C to 35°C (50°F to 95°F)
Processor	Intel® Xeon® Scalable Processors up to 22 cores each
Processor Speeds	1.7GHz to 3.7GHz
Socket	Dual Socket P
Memory	Up to 24 DIMMs, DDR4 ECC 2133/2400/2666 MHz Up to 1.54TB Memory Intel® Optane™ Memory supported
I/O	Five USB, two serial ports
Ethernet	2 x 10GbE (100/1000/10000) LAN, other network options avail.
PCIe®	2 x PCIe® x24 riser super slot
Storage	12 x 3.5" hot-swap drive bays (front) Supports: 12 x SSD, SATA, SAS drives - or - 10 x SSD, SATA, SAS and 2 x NVMe drives 2 x 2.5" rear mounted hot-swap drives (optional) 2 x 2.5" internal SSD drives (optional) 2 x Internal M.2 SSDs, PCIe® or SATA 22x80 (optional)
Maximum Storage	Up to 144TB
SW RAID	0,1,10, optional 5, Intel® VROC (Virtual RAID on CPU) for optional NVMe RAID
HW RAID	LSI® Hardware RAID (optional)
Input Voltage	100-127V @ 8.5A, 50/60 Hz 200-240V @ 7.5A, 50/60 Hz
Power Supply	Redundant hot-swap 1300W AC
Remote Management (RMM)	Remote Management Module included
Trusted Platform Module (TPM)	Trusted Platform Module optional
Supported OS	Microsoft® Windows Server® 2012 R2, 2016, VMware® ESXi™ 6.0/6.5, Open-E® JovianDSS™ & DSS7, Red Hat® RHEL 5,6,7, SUSE® SLES 11,12, Ubuntu 14,15,16,17, XenServer® 6.5-7.3, CentOS™ 6,7, KVM
Certifications	NRTL Nemko (US, Canada), CE (Europe), RCM (Australia/NZ), GS (Germany), FCC (US), ICES-3(A) (Canada), KC (Korea), Ukraine Certification, BSMI (Taiwan), EAC (Russia), VCCI-A (Japan), RoHS EVPU 20 (China), MIC (Vietnam)

Contact: Nfina Technologies, Inc.
820 S. University Blvd.
STE 4E, Mobile AL 36609
Tel: 251-243-0043
Fax: 251-316-3884

Web: www.nfinausa.com
Email: nfina_sales@nfinausa.com

